

Observational Model for the Space Interferometry Mission

S.G. Turyshev

M.H. Milman

Jet Propulsion Laboratory
California Institute of Technology
Pasadena, California

Abstract

The Space Interferometry Mission (SIM) is a space-based long-baseline optical interferometer for precision astrometry. One of the primary objectives of the SIM instrument is to accurately determine the directions to a grid of stars, together with their proper motions and parallax, improving a priori knowledge by nearly three orders of magnitude. The basic astrometric observable of the instrument is the pathlength delay, a measurement made by a combination of internal metrology measurements that determine the distance the starlight travels through the two arms of the interferometer and a measurement of the white light stellar fringe to find the point of equal pathlength. Because this operation requires a non-negligible integration time to accurately measure the stellar fringe position, the interferometer baseline vector is not stationary over this time period, as its absolute length and orientation are time-varying. This conflicts with the consistency condition necessary for extracting the astrometric parameters which requires a stationary baseline vector. This paper addresses how the time-varying baseline is "regularized" so that it may act as a single baseline vector for multiple stars.

This work was performed by the Jet Propulsion Laboratory, California Institute of Technology, under contract with the National Aeronautics and Space Administration.

KEYWORDS: SIM, pathlength feed-forward, modeling, SIM astrometric model, astrometry